



A P P R O V A L S ®

Certificate of Suitability

Certificate No.: SAA183150

Certificate Holder: Huawei Technologies Co., Ltd.
Administration Building,
Headquarters of Huawei Technologies Co., Ltd.,
Bantian, Longgang District,
Shenzhen 518129
P.R. China

Class Description: Non-Declared
Product Description: Grid-tied Photovoltaic Inverter
Brand Name: HUAWEI
Model No.: SUN2000-10KTL-M0
Markings: Input: Max 1100Vdc, Max 11A/11A,
Isc: 15A/15A, MPPT Range: 140-980Vdc
Output: 230/400V~ 3N+PE 50Hz, 10kVA,
Max 11kVA, Max 16.9A
-25°C to +60°C, IP65, Class I
Standard: AS/NZS 4777.2:2015
IEC 62109-1 Ed 1.0
IEC 62109-2 Ed 1.0
Conditions: Nil
Certification Mark: SAA183150 or RCM
Date First Registered: 12 November 2018
Date of Expiry: 12 November 2023


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 12-11-18 183150/1



A P P R O V A L S ®

Certificate of Suitability

* Addendum *

Certificate No.: SAA183150

Date of Issue: 12 November 2018

Class Description: Non-Declared

Product Description: Grid-tied Photovoltaic Inverter

Additional Models	Description
SUN2000-3KTL-M0	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 3kVA, Max 3.3kVA, Max 5.1A
SUN2000-4KTL-M0	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 4kVA, Max 4.4kVA, Max 6.8A
SUN2000-5KTL-M0	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 5kVA, Max 5.5kVA, Max 8.5A
SUN2000-6KTL-M0	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 6kVA, Max 6.6kVA, Max 10.1A
SUN2000-8KTL-M0	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 8kVA, Max 8.8kVA, Max 13.5A
SUN2000-3KTL-M1	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 3kVA, Max 3.3kVA, Max 5.1A
SUN2000-4KTL-M1	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 4kVA, Max 4.4kVA, Max 6.8A
SUN2000-5KTL-M1	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 5kVA, Max 5.5kVA, Max 8.5A
SUN2000-6KTL-M1	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 6kVA, Max 6.6kVA, Max 10.1A
SUN2000-8KTL-M1	Input: Max 1100Vdc, Max 11A/11A, Isc: 15A/15A, MPPT Range: 140-980Vdc Output: 230/400V~ 3N+PE 50Hz, 8kVA, Max 8.8kVA, Max 13.5A


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 12-11-18 183150/2