



Product Service

CERTIFICATE

No. B 041829 3693 Rev. 00

Model(s): SUN2000-168KTL-H1, SUN2000-175KTL-H0
SUN2000-185KTL-H1, SUN2000-185KTL-INH0.

Parameters:

Model	SUN2000-168KTL-H1	SUN2000-175KTL-H0	SUN2000-185KTL-H1	SUN2000-185KTL-INH0
d.c. Max. Input Voltage:	1500V	1500V	1500V	1500V
d.c. Max. Input Current:	9 x 26A	9 x 26A	9 x 26A	9 x 26A
Isc PV:	9 x 40A	9 x 40A	9 x 40A	9 x 40A
MPP Voltage Range:	500V – 1500V	500V – 1500V	500V – 1500V	500V – 1500V
a.c. Output Nominal Voltage:	3~, 800V	3~, 800V	3~, 800V	3~, 800V
a.c. Nominal Operating Frequency:	50Hz / 60Hz	50Hz	50Hz / 60Hz	50Hz / 60Hz
a.c. Max. Output Current:	122,5A	140,7A	134,9A	134,9A
a.c. Rated Output Power:	150kW	175kW	175kW	160kW
a.c. Max. Output Power:	168kVA	193kVA	185kVA	185kVA
Power Factor:	0,8 leading ... 0,8 lagging	0,8 leading ... 0,8 lagging	0,8 leading ... 0,8 lagging	0,8 leading ... 0,8 lagging
Protection Class:	Class I	Class I	Class I	Class I
Ingress Protection:	IP65	IP65	IP65	IP65
Overvoltage Category:	II(PV), III(MAINS)	II(PV), III(MAINS)	II(PV), III(MAINS)	II(PV), III(MAINS)
Operating Temperature Range:	-25°C ... +60°C	-25°C ... +60°C	-25°C ... +60°C	-25°C ... +60°C

Tested according to: IEC 62109-1(ed.1)
EN 62109-1:2010
IEC 62109-2(ed.1)
EN 62109-2:2011

Production Facility(ies): 082137

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT